Dell recommends that customers dispose of their used computer hardware, including monitors, in an environmentally sound manner. Potential methods include reuse of parts or whole products and recycling of product, components and/or materials. For more information, please visit http://dell.com/recycling_programs and www.dell.co.in/environment

Copyright © 2012 Dell Inc. For more information about how Dell monitors can fit your needs and budget, contact your Dell resellers today or visit www.dell.co.in/monitors



Experience a world of difference with Dell monitors





Dell Monitors

Dell Monitors - Experience stunning details, vibrant colors and exceptional clarity - the result of the convergence of cutting-edge display technologies and design creativityhelping you to be more productive, have more fun with work and be environmentally responsible.

Contents

Model	Pg
E1709W 43.18cm (17) W Entry, Commercial, Wide, VGA	1
E170S 43.18cm (17) Sq Entry, Commercial, Square, VGA	3
E190S 48.26cm (19) Sq Entry, Commercial, Square, VGA	5
D1920 46.99cm (18.5) W Entry, Consumer, Wide, VGA	7
IN1930 46.99cm (18.5) W Entry, Consumer, Wide, VGA, LED	9
IN2030M 50.8cm (20) W Entry, Consumer, Wide, VGA, DVI (HDPC), LED	11
ST2220M 54.6cm (21.5) W Studio, Full HD, Consumer, Wide, VGA, DVI-D, LED, HDMI*	13
ST2320L 58.42cm (23) W Studio, Full HD, Entry, Consumer, Wide, VGA, DVI-D, LED	15

Model	Pg
S2330MX 58.42cm (23) W Ultrathin VGA, DVI (HDPC)	17
ST2420L 60.96cm (24) W Studio, Full HD, Consumer, Wide, VGA, DVI-D (HDCP), HDMI, LED	19
U2312HM 58.42cm (23) W UltraSharp Wide, VGA, DVI-D (HDCP)	21
U2410 60.96cm (24) W UltraSharp Wide, VGA, DVI-D (HDCP)	23
U2711 68.58cm (27) W UltraSharp Wide, VGA, Composite, Component, 2 x DVI-D (HDCP), HDMI	25
U3011 76.2cm (30) W UltraSharp Wide, VGA, Component, 2 x DVI-D (HDCP), 2 x HDMI	27

WHY DELL MONITORS?

Whether you are looking for a monitor for specialized color-centric work that requires precise and accurate screen performance, or for typical office use or for entertainment with family, you will find one to meet your needs from Dell's extensive range of monitors for business or home.

Performance

Expect a thoroughly enjoyable visual experience with Dell monitors, thanks to their vivid colors, wide viewing angles, brilliant screen resolution and impressive color accuracy and consistency.

Award winning

The multiple awards and positive reviews for our monitors from around the globe - from leading computing magazines, online portals and consumers alike - vouch for the quality, performance and usability of these monitors.

Comfort

Enjoy the pleasure of working in great comfort with the numerous adjustability options and connectivity for various devices that Dell monitors offer. You can simply focus on your work and give your productivity a boost.

Reliability

Dell monitors give you the same commitment to quality, reliability and service that you expect from Dell demonstrated through an exhaustive testing regimen, backed by our dedicated technical support staff and Premium Panel Guarantee available with Dell UltraSharp monitors.

Environmental responsibility

Most Dell monitors conform to environmental certifications and are made with environmentallyconscious materials such as post-consumer recycled plastic on the chassis, and BFR/PVC-free laminates in the circuit boards. Built-in energy-efficient features such as PowerNap and Dynamic Dimming in select monitors can help you save on power consumption, so that you can be proud of the environmentallyresponsible choice you make.

E1709W 43.18cm (17) W

Get a wide-screen experience with this sleek, energy-efficient and compact monitor. Its flat panel design and an optional wall-mount give you maximum area on screen and save on desk space. Its 1440 x 900 resolution and ease of use makes the E1709W wide-screen ideal for your home or home office.



Display

Display	
Viewable image size (diagonal)	43.18 cm (17)
Horizontal	367.2 mm (14.46)
Vertical	229.5 mm (9.04)
Maximum resolution	1440 X 900 at 60 Hz
Pixel pitch	0.255 mm
Brightness (typical)	250 cd/m ²
Color gamut (typical)1	65% (CIE 1976) / 60% (CIE 1931)
Color depth	16.2 million colors
Contrast ratio (typical)	600:1 (typical)
Viewing angle (typical) vertical/horizontal	150° /160°
Response time (typical)	8ms (black to white)
Panel type	TN - Twisted Nematic, anti-glare
Backlight	CCFL
PC Connectivity	
Connectors (E1709W)	VGA
Power	
AC input voltage/frequency/current	100 to 240 VAC / 50 or 60 Hz <u>+</u> 3 Hz / 1.6A (Max.)
Power consumption (normal operation, typical)	20W 25W
Power consumption (active-off mode)	<2W
Color gamut (typical) is based on CIE1976 (829	%) and CIE1931 (72%) test standards.

²For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty. ³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

dell.co.in/monitors

Dimensions		
Height (compressed)	334.58 mm (13.17)	
Width	404.15 mm (15.91)	
Weight		
Weight without stand assembly	2.64 kg	
Weight with stand assembly and cables	3.37 kg	
Weight with packaging	4.32 kg	
Design Features		
Stand	Tilt only	
Security	Slot for security cable lock: Yes (security cables and locks not included)	
Bezel Color	Black	
Service and warranty		





E170S 43.18cm (17) Sq

A large 17" flat-panel with a high 800:1 contrast ratio and 1280 x 1024 resolution, the E170S enhances color while simultaneously enhancing graphics and text. Its backlit technology helps lower operational cost while its quick response time (5 ms) reduces ghosting and smearing. This ENERGY STAR® qualified Dell monitor uses 'halogen free' laminates in circuit boards and contains 25% postconsumer recycled plastics. Ideal for offices and graphics studios.



Display

43.18 cm (17)
337.9 mm (13.3)
270.3 mm (10.6)
1280 x 1024 at 60 Hz
0.264 mm
250 cd/m ²
85% (CIE1976) / 72% (CIE1931)
16.7 million colors
800:1 (typical)
160° /160°
5ms (black to white)
TN - Twisted Nematic, anti-glare
CCFL
VGA
AC 100 to 240 VAC / 50 or 60 Hz / 1.6A (Rmz) max
17W 25W
<1W

⁴For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty. ³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

dell.co.in/monitors

3

Dimensions			
Height (compressed)	380.6 mm (14.98)		
Width	374.5 mm (14.74)		
Weight			
Weight without stand assembly	3.04 kg		
Weight with stand assembly and cables	4.31 kg		
Weight with packaging	5.21 kg		
Design Features			
Stand	Tilt only		
Security	Slot for security cable lock: Yes (security cables and locks not included)		
Bezel Color	Black		
Service and warranty			





E190S 48.26cm (19) Sq

Make your multimedia presentations come alive with crisp, clear and enhanced images with the Dell E190S 19" flat panel wide-screen monitor. Enjoy the Liquid Crystal Display (LCD) supporting 16.7 million colors making it a truly breathtaking experience when working, playing or reviewing. Its tilt-in, cable management and wall mounting (optional) make it versatile yet accurate for use in offices and design studios.



Display

Display	
Viewable image size (diagonal)	48.26 cm (19)
Horizontal	376.3 mm (14.8)
Vertical	301.1 mm (11.8)
Maximum resolution	1280 x 1024 at 60 Hz
Pixel pitch	0.294 mm
Brightness (typical)	250 cd/m ²
Color gamut (typical)1	85% (CIE1976) / 72% (CIE1931)
Color depth	16.7 million colors
Contrast ratio (typical)	800:1 (typical)
Viewing angle (typical) vertical/horizontal	160° /160°
Response time (typical)	5 ms (black to white)
Panel type	TN (Twisted Nematic), anti-glare
Backlight	CCFL
PC Connectivity	
Connectors (E190S)	VGA
Power	
AC input voltage/frequency/current	100 to 240 VAC / 50 or 60 Hz / 1.6 A (RMS) (Max.)
Power consumption (normal operation, typical)	19W 25W
Power consumption (active-off mode)	<1W
10-1	ad CIE1071 (72%) tost standarda

¹Color gamut (typical) is based on CIE1976 (82%) and CIE1931 (72%) test standards. ²For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty.

dell.co.in/monitors

5

Dimensions			
Height (compressed)	411.2 mm (16.19)		
Width	412.7 mm (16.25)		
Weight			
Weight without stand assembly	3.94 kg		
Weight with stand assembly and cables	5.06 kg		
Weight with packaging	6.27 kg		
Design Features			
Stand	Tilt only		
Security	Slot for security cable lock: Yes (security cables and locks not included) Slot for stand lock (to panel): No		
Bezel Color	Black		
Service and warranty			





D1920 46.99cm (18.5) W

Bring home a range of colors with the D1920 wide-screen monitor. The 16.7 million colors supported by the monitor with an optimal resolution of 1360 x 768 and response time of 5 ms, makes you want this front-of-screen experience to last forever. Amplify your audio performance with the optional multimedia AX510PA soundbar. Connect to any standard computer with its VGA connector and sit back and enjoy every nuance highlighted in brilliant detail.



Display

Display	
Viewable image size (diagonal)	46.99 cm (18.5)
Horizontal	409.80 mm (16.14)
Vertical	230.40 mm (9.1)
Maximum resolution	1366 x 768 at 60 Hz
Pixel pitch	0.30 mm
Brightness (typical) ¹	250 cd/m²
Color gamut (typical)1	82% (CIE1976) / 72% (CIE1931)
Color depth	16.7 million colors
Contrast ratio (typical)	5000:1 (typical)
Viewing angle (typical) vertical/horizontal	160° /170°
Response time (typical)	5ms (black to white)
Panel type	TN - Twisted Nematic, anti-glare
Backlight	CCFL
PC Connectivity	
Connectors (D1920)	VGA
Power	
AC input voltage/frequency/current	100 to 240 VAC / 50 or 60 Hz <u>+</u> 3 Hz / 1.2A (Max.)
Power consumption (normal operation, typical)	25W
Power consumption (active-off mode)	<1W
Color gamut (typical) is based on CIE1976 (82%	6) and CIE1931 (72%) test standards.

²For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty. *Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

dell.co.in/monitors

Dimensions	
Height (compressed)	353.6 mm (13.9)
Width	440.4 mm (17.33)
Weight	
Weight without stand assembly	2.64 kg
Weight with stand assembly and cables	3.5 kg
Weight with packaging	3.94 kg
Design Features	
Stand	Tilt only
Security	Slot for security cable lock: No
Bezel Color	Black
Service and warranty	



IN1930 46.99cm (18.5) W

Now enjoy the wide-screen experience while watching movies or playing games with the Dell IN1930 18.5" wide-screen monitor. Its flat panel design ensures energy efficiency, excellent picture quality and its fast response time helps prevent ghosting in fast motion video. Streaming video, watching movies, playing games or reviewing documents comes alive with this Dell monitor which is just perfect for your modern lifestyle.



Display

Display	
Viewable image size (diagonal)	46.99 cm (18.5)
Horizontal	409.80 mm (16.14)
Vertical	230.40 mm (9.08)
Maximum resolution	1366 x 768 at 60 Hz
Pixel pitch	0.300 mm
Brightness (typical)	250 cd/m ²
Color gamut (typical)1	82% (CIE1976) / 72% (CIE1931)
Color depth	16.7 million colors
Contrast ratio (typical)	1000:1 (typical)
Viewing angle (typical) vertical/horizontal	160° /170°
Response time (typical)	5ms (black to white)
Panel type	TN - Twisted Nematic, anti-glare
Backlight	LED
PC Connectivity	
Connectors (D1920)	VGA
Power	
AC input voltage/frequency/current	100 to 240 VAC / 50 or 60 Hz <u>+</u> 3 Hz / 1.6A (Max.)
Power consumption (normal operation, typical)	18W 22W
Power consumption (active-off mode)	<1W
Color gamut (typical) is based on CIE1976 (82%) and CIE1931 (72%) test standards

¹Color gamut (typical) is based on CIE1976 (82%) and CIE1931 (72%) test standards. ²For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty.

Dimensions			
Height (compressed)	349.10 mm (13.74)		
Width	445.41 mm (17.54)		
Weight			
Weight without stand assembly	2.64 kg		
Weight with stand assembly and cables	3.26 kg		
Weight with packaging	3.94 kg		
Design Features			
Stand	Tilt only		
Security	Slot for security cable lock: Yes (security cables and locks not included)		
Bezel Color	Black		
Service and warranty			

- 3 Years Advanced Exchange Service³ & Limited Hardware Warranty²
- Premium Panel Guarantee 100% replacement of UltraSharp series monitors sold if any bright pixel is found, valid within the warranty period.





IN2030M 50.8cm (20) W

Entry, Consumer, Wide, VGA, DVI (HDPC), LED

Enjoy high definition resolution, a megadynamic contrast ratio, energy efficiency and more at a great value. See your photos, games, movies in vivid clarity with refreshing HD experience making the IN2030M perfect for entertaining your family. While it lowers your energy consumption, it maximizes your wide-screen viewing experience at home or at work.



Display

Display	
Viewable image size (diagonal)	50.8 cm (20)
Horizontal	442.80 mm (17.4)
Vertical	249.10 mm (9.8)
Maximum resolution	1600 x 900 at 60 Hz
Pixel pitch	0.277 mm
Brightness (typical)	250 cd/m ²
Color gamut (typical) ¹	82% (CIE1976) / 72% (CIE1931)
Color depth	16.7 million colors
Dynamic contrast ratio	8,000,000:1 (dynamic)
Viewing angle (typical) vertical/horizontal	160° /170°
Response time (typical)	5ms (black to white)
Panel type	TN - Twisted Nematic, anti-glare
Backlight	LED
PC Connectivity	
Connectors (IN2030M)	VGA, DVI-D (HDCP)
Power	
AC input voltage/frequency/current	100 to 240 VAC/50 or 60 Hz <u>+</u> 3 Hz/1.6 A (maximum)
Power consumption (normal operation, typical)	20W 25W
Power consumption (active-off mode)	<1W
¹ Color gamut (typical) is based on CIE1976 (82% ² For a copy of the Limited Hardware Warranty, '	6) and CIE1931 (72%) test standards. write: For more details viist dell.co.in/tnc or see www.

dell.co.in/monitors

Dimensions	
Height (compressed)	367.78 mm (14.48)
Width	478.60 mm (18.84)
Weight	
Weight without stand assembly	2.64 kg
Weight with stand assembly and cables	3.26 kg
Weight with packaging	3.94 kg
Design Features	
Stand	Tilt only
Security	Slot for security cable lock: Yes (security cables and locks not included)
Bezel Color	Black
Service and warranty	





ST2220M 54.6cm (21.5) W

Studio, Full HD, Consumer, Wide, VGA, DVI-D, LED, HDMI*

Experience full high-definition cinematic quality pictures on your Dell ST2220M wide-monitor with LED. Be amazed at the stunning front-of-screen experience with enhanced 1920 x 1080 full HD resolution, fast response time and a 16:9 aspect ratio. The LCD panel with LED backlight are ENERGY STAR[®] 5.0 compliant which eases your cost without compromising on quality on-screen performance. Stylish, designed to fit most home environments, functional and built for maximum comfort, now enjoy the convenience of a big screen without the fuss. *HDMI port available in **ST2220L**.



Display

Display	
Viewable image size (diagonal)	54.6 cm (21.5)
Horizontal	476.64 mm (18.76)
Vertical	268.1 mm (10.56)
Maximum resolution	1920 x 1080 at 60 Hz
Pixel pitch	0.248 mm
Brightness (typical)	250 cd/m ²
Color gamut (typical)1	78% (CIE1976) / 68% (CIE1931)
Color depth	16.7 million colors
Dynamic contrast ratio	8,000,000:1 (dynamic)
Viewing angle (typical) vertical/horizontal	160° /170°
Response time (typical)	5ms
Panel type	TN (Twisted Nematic), Non-glare
Backlight	LED
PC Connectivity	
Connectors (ST2220M)	VGA, DVI-D (HDCP) HDMI*
Power	
AC input voltage/frequency/current	100 to 240 VAC / 50 or 60 Hz <u>+</u> 3 Hz / 2.0A (Max.)
Power consumption (normal operation, typical)	20W 28W
Power consumption (active-off mode)	<1W
¹ Color gamut (typical) is based on CIE1976 (82)	%) and CIE1931 (72%) test standards.

²For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty. ³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

dell.co.in/monitors

Dimensions	
Height (compressed)	326.02 mm (12.84)
Width	520.64 mm (20.50)
Weight	
Weight without stand assembly	3.10 kg
Weight with stand assembly and cables	4.09 kg
Weight with packaging	5.19 kg
Design Features	
Stand	Tilt Only
Security	Slot for security cable lock: Yes (security cables and locks not included)
Bezel Color	Black (rear cabinet - black, stand - black)
Service and warranty	





ST2320L

Get set for a larger-than-life experience when you browse, review, play or watch. Made of arsenic-free glass and mercuryfree panels, the ST2320L enriches your entire viewing experience with its mega dynamic contrast ratio and superb features. With its power consumption of <24W and a weight of only 4.4 kgs, this Dell monitor is a majestic addition to your surfing experience.



Display

Display	
Viewable image size (diagonal)	58.42 cm (23)
Horizontal	509.184 mm (20.05)
Vertical	286.42 mm (11.28)
Maximum resolution	1920 x 1080 at 60 Hz
Pixel pitch	0.265 mm
Brightness (typical)	250 cd/m ²
Color gamut (typical)1	78% (CIE1976) / 68% (CIE1931)
Color depth	16.7 million colors
Dynamic contrast ratio	8,000,000:1 (estimated)
Viewing angle (typical) vertical/horizontal	160° /170°
Response time (typical)	5ms (black to white)
Panel type	TN (Twisted Nematic), Non-glare
Backlight	LED
PC Connectivity	
Connectors (ST2320L)	DVI-D (HDCP), VGA, HDMI
Power	
AC input voltage/frequency/current	100 to 240 VAC/50 or 60 Hz <u>+</u> 3 Hz/2.0 A (maximum)
Power consumption (normal operation, typical)	24W 30W
Power consumption (active-off mode)	<1W
Color gamut (typical) is based on CIE1976 (829	%) and CIE1931 (72%) test standards.

²For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty. ³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

Dimensions	
Height (compressed)	404.07 mm (15.91)
Width	553.38 mm (21.79)
Weight	
Weight without stand assembly	3.60 kg
Weight with stand assembly and cables	4.42 kg
Weight with packaging	5.75 kg
Design Features	
Stand	Tilt Only
Security	Slot for security cable lock: Yes (security cables and locks not included)
Bezel Color	Black (rear cabinet - black, stand - black)
Service and warranty	



S2330MX 58.42cm (23) W

The thinnest monitors ever, the ultra slim Dell S2330MX exudes style and sophistication, immediately making a stylish visual statement. Unmistakable clarity and the seamless smooth motion with an ultra fast 2 ms grey-to-grey response time, make this monitor a must-comehome-to ultimate viewing experience. Producing deep blacks and bright whites, these monitors make your images pop. Energy-efficient, environmentally conscious and high-definition makes it an unbeatable combination for your home viewing pleasure.



Display

Display	
Viewable image size (diagonal)	58.42 cm (23)
Horizontal	509.2 mm (20.05)
Vertical	286.4 mm (11.28)
Maximum resolution	1920 x 1080 at 60 Hz
Pixel pitch	0.265 mm
Brightness (typical)	250 cd/m²
Color gamut (typical)1	82% (CIE1976)
Color depth	16.7 million colors
Contrast ratio (typical) Dynamic contrast ratio	1000:1 (typical), 8,000,000:1 (dynamic)
Viewing angle (vertical/horizontal)	160° /170°
Response time (typical)	2ms with overdrive (grey to grey)
Panel type	TN (active matrix – TFT LCD)
Backlight	LED
PC Connectivity	
Connectors (S2330MX)	VGA, DVI-D (HDCP)
Power	
AC input voltage/frequency/current	100 to 240 VAC/50 or 60 Hz <u>+</u> 3 Hz/1.5 A (maximum)
Power consumption (normal operation, typical)	27W
Power consumption (active-off mode)	<0.5

⁴For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty. ³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

dell.co.in/monitors

Dimensions	
Height (compressed)	401.22 mm (16.15)
Width	552.20 mm (21.74)
Weight	
Weight with stand assembly and cables	3.76 kg
Weight with packaging	4.70 kg
Design Features	
Stand	Tilt only
Security	Slot for security cable lock: Yes (security cables and locks not included)
Bezel Color	Black
Service and warranty	





ST2420L 60.96cm (24) W

VGA, DVI-D (HDCP), HDMI, LED

Feel your movies and experience a whole new level of visual awe with this 24" wide monitor, full HD monitor from Dell. With a dynamic color contrast ratio of 8,000,000:1, the ST 2420L comes with intuitive touch controls, tilt adjustability and a sleek design that brings true-to-life picture quality. Ideal for your home, this Dell monitor is also ENERGY STAR[®] 5.0 compliant. Convert your home into your very own personal theatre for visuals that will take your breath away.



Display

Display	
Viewable image size (diagonal)	60.96 cm (24)
Horizontal	531.36 mm (20.92)
Vertical	298.89 mm (11.77)
Maximum resolution	1920 x 1080 at 60 Hz
Pixel pitch	0.277 mm
Brightness (typical)	250 cd/m ²
Color gamut (typical)1	81% (CIE1976) / 68% (CIE1931)
Color depth	16.7 million colors
Dynamic contrast ratio	8,000,000:1 (estimated)
Viewing angle (typical) vertical/horizontal	160° /170°
Response time (typical)	5ms
Panel type	TN (Twisted Nematic), Non-glare
Backlight	LED
PC Connectivity	
Connectors (ST2420L)	DVI-D (HDCP), VGA , HDMI
Power	
AC input voltage/frequency/current	100 to 240 VAC/50 or 60 Hz <u>+</u> 3 Hz/2.0A (maximum)
Power consumption (normal operation, typical)	20W 30W
Power consumption (active-off mode)	<1W

⁴For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty. ³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

dell.co.in/monitors

Dimensions	
Height (compressed)	418.24 mm (16.47)
Width	574.96 mm (22.64)
Weight	
Weight without stand assembly	3.65 kg
Weight with stand assembly and cables	4.29 kg
Weight with packaging	5.75 kg
Design Features	
Stand	Tilt only
Security	Slot for security cable lock: Yes (security cables and locks not included)
Bezel Color	Black (rear cabinet - black, stand - black)
Service and warranty	





U2312HM 58.42cm (23) W

Any-angle viewing with a flat LCD panel display makes the U2312HM UltraSharp Dell monitor live up to its name. This multi-award winning monitor offers uncompromising precision and crystalclear clarity enhancing every feature of the image. Easy connectivity combined with its IPS technology ensures color uniformity. Enjoy maximum viewing options with its height-adjustable stand, tilt, swivel and pivot features or let the monitor act as a media extension for your PC via integrated ports. Ideal for color-critical work at homes or large organizations.



Display

Display	
Viewable image size (diagonal)	58.42 cm (23)
Horizontal	509.2 mm (20.05)
Vertical	286.4 mm (11.28)
Maximum resolution	1920 x 1080 at 60 Hz
Pixel pitch	0.265 mm
Brightness (typical)	300 cd/m ²
Color gamut (typical)1	82% (CIE1976) / 72% (CIE1931)
Color depth	16.7 million colors
Contrast ratio (typical) Dynamic contrast ratio	1000:1 (typical), 2 million:1 (dynamic)
Viewing angle (vertical/horizontal)	178° /178°
Response time (typical)	8ms (grey to grey)
Panel type	IPS (In-Plane Switching), anti-glare
Backlight	WLED
PC Connectivity	
Connectors (U2312HM)	VGA, (DVI-D) with HDCP USB 2.0 Port: 4
Power	
AC input voltage/frequency/current	100 to 240 VAC / 50 or 60 Hz ± 3 Hz / 1.5A (typical)
Power consumption (normal operation, typical)	30W
Power consumption (active-off mode)	<0.5
¹ Color gamut (typical) is based on CIE1976 (82%) a	nd CIE1931 (72%) test standards.

²For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty. ³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

dell.co.in/monitors

Dimensions	
Height (compressed)	365.0 mm (14.37) and full height spread 130 mm
Width	546.4 mm (21.51)
Weight	
Weight without stand assembly	2.96 kg
Weight with stand assembly and cables	5.18 kg
Weight with packaging	6.47 kg
Design Features	
Stand	Height-Adjustable stand with tilt, swivel and pivot
Security	Slots for security cable lock and anti-theft stand lock (security cables and locks not included)
Bezel Color	Black
Service and warranty	

- 3 Years Advanced Exchange Service³ & Limited Hardware Warranty²
- Premium Panel Guarantee 100% replacement of UltraSharp series monitors sold if any bright pixel is found, valid within the warranty period.





U2410 60.96cm (24) W

The U2410 is the next-gen Dell monitor delivering vibrant, true-to-life colors, depth and responsiveness. Multi-tasking is so easy given its picture-in-picture and picture-by-picture multi-views. Designed with tilt, swivel, pivot, height adjustable and wall mounting features, it comes with 4 USB ports and a media card reader. So sit back, relax and get set for an out-of-the-box experience.



Display

Display			
Viewable image size (diagonal)	60.96 cm (24)		
Horizontal	518.4 mm (20.41)		
Vertical	324.0 mm (12.75)		
Maximum resolution	1920 x 1200 at 60 Hz		
Pixel pitch	0.270 mm		
Brightness (typical)	400 cd/m ²		
Color gamut (typical)1	110% (CIE 1976) / 102% (CIE 1931)		
Color depth	1.07 billion colors		
Contrast ratio (typical) Dynamic contrast ratio	1000:1 (typical), 80000:1 (dynamic)		
Viewing angle (vertical/horizontal)	178° /178°		
Response time (typical)	6 ms (grey to grey)		
Panel type	IPS (In Plane Switching), anti-glare		
Backlight	CCFL		
PC Connectivity			
Connectors (U2410)	VGA, 2x(DVI-D) with HDCP, HDMI USB 2.0 Port: 4		
Power			
AC input voltage/frequency/current	100 to 240 VAC / 50 or 60 Hz <u>+</u> 3 Hz / 2A (Max.)		
Power consumption (normal operation, typical)	75W 132W (without audio and USB connection)		
Power consumption (active-off mode)	<1W		
Color gamut (typical) is based on CIE1976 (82%) a For a copy of the Limited Hardware Warranty, wri	and CIE1931 (72%) test standards. ite: For more details vijst dell co in/tnc or see www		

²For a copy of the Limited Hardware Warranty, write: For more details viist dell.co.in/tnc or see www.dell.com/warranty. ³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

dell.co.in/monitors

Dimensions	
Height (compressed)	393.0 mm (15.47) and full height spread 100 mm
Width	559.7 mm (22.03)
Weight	
Weight without stand assembly	6.50 kg
Weight with stand assembly and cables	9.57 kg
Weight with packaging	11.60 kg
Design Features	
Stand	Height-Adjustable stand with tilt, swivel and pivot
Security	Slots for security cable lock and anti-theft stand lock (security cables and locks not included)
Bezel Color	Black
Service and warranty	

- 3 Years Advanced Exchange Service³ & Limited Hardware Warranty²
- Premium Panel Guarantee 100% replacement of UltraSharp series monitors sold if any bright pixel is found, valid within the warranty period.

Awards			
VIP Silver Award U2410 PC Professionale, Italy, Feb '10	Must Have U2410 Kitguru, UK, May '11	Best Product of July, Best Monitor for the Office U2410 Chip, Russia, July '11	Good Award U2410 Digifoto, Netherlands, Oct '10



U2711 68.58cm (27) W

UltraSharp Wide, VGA, Composite, Component, 2 x DVI-D (HDCP), HDMI

Enjoy state-of-the-art resolution with upto 2560 x 1440 (WQHD), 109 pixels per inch and a 16:9 aspect ratio. PremierColor Technology delivers outstanding color gamut of 1.07 billion colors, making every single detail in every visual remarkably true-to-life across all display modes.With its IPS (In Plane Switching) technology, experience vibrancy and detail at any angle. The U2711 is a versatile and flexible monitor allowing you to enjoy hours of optimum on-screen performance.



Display

Viewable image size (diagonal)	68.58 cm (27)		
Horizontal	596.74 mm (23.49)		
Vertical	335.66 mm (13.21)		
Maximum resolution	2560 x 1440 at 60 Hz		
Pixel pitch	0.233 mm		
Brightness (typical)	350 cd/m ²		
Color gamut (typical)1	110% (CIE 1976) / 102% (CIE 1931)		
Color depth	1.07 billion colors		
Contrast ratio (typical) Dynamic contrast ratio	1000:1 (typical), 80000:1 (dynamic)		
Viewing angle (vertical/horizontal)	178° /178°		
Response time (typical)	6 ms (grey to grey)		
Panel type	IPS (In Plane Switching), anti-glare		
Backlight	CCFL		
PC Connectivity			
Connectors (U2711)	VGA, 2x(DVI-D) with HDCP, HDMI USB 2.0 Port: 4		
Power			
AC input voltage/frequency/current	100 to 240 VAC / 50 or 60 Hz <u>+</u> 3 Hz / 2A (Max.)		
Power consumption (normal operation, typical)	113W 138W (without audio and USB connection)		
Power consumption (active-off mode)	<2W		

dell.co.in/monitors

Dimensions	
Height (compressed)	427.83 mm (16.84)and full height spread 90 mm
Width	646.71 mm (25.46)
Weight	
Weight without stand assembly	7.72 kg
Weight with stand assembly and cables	10.46 kg
Weight with packaging	14.46 kg
Design Features	
Stand	Height-Adjustable stand with tilt and swivel
Security	Slots for security cable lock and anti-theft stand lock (security cables and locks not included)
Bezel Color	Black
Comission and comments	

Service and warranty

- 3 Years Advanced Exchange Service³ & Limited Hardware Warranty²
- Premium Panel Guarantee 100% replacement of UltraSharp series monitors sold if any bright pixel is found, valid within the warranty period.

Ам	vards				
1	Best Peripheral of the Year Award U2711 PC User, ANZ, Dec '10	Editor's Choice Award U2711 Advanced Photoshop, UK, May '11	Editor's Choice Award U2711 iCreate, France, May '11	ĥ	Editor's Choice Award U2711 TweakTown, Australia, May '10
0	Group Test Winner U2711 Olnet.com, France, Feb '10	Gold Editors' Choice Award U2711 AnandTech, USA, Jan '10	Editors' Choice Award U2711 MacWorld, UK, Nov '10	-	Original Design October Award U2711 iXBT, Russia, Oct '11

m/warranty.

³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.



U3011 75.6cm (30) W

UltraSharp Wide, VGA, Component, 2 x DVI-D (HDCP), 2 x HDMI

The Dell U3011 monitor allows you to experience visual majesty in all its glory and brilliance. It delivers 2560 x 1600 resolution and 16:10 aspect ratio for clear images and exceptional multitasking with excellent AdobeRGB and sRGB coverage for rich, lifelike visuals. Watching a video or creating one, enjoy a razor-sharp, ghost-free viewing experience on moving images. Versatile and flexible for any angle viewing, it's time you dreamt big and watched your dreams come alive.



Display

Display			
Viewable image size (diagonal)	75.6 cm (30)		
Horizontal	641.28 mm (25.25)		
Vertical	400.8 mm (15.78)		
Maximum resolution	2560 x 1600 at 60 Hz		
Pixel pitch	0.251 mm		
Brightness (typical)	370 cd/m ²		
Color gamut (typical)1	117% (CIE 1976) / 102% (CIE 1931)		
Color depth	1.07 billion colors		
Contrast ratio (typical) Dynamic contrast ratio	1000:1 (typical), 100,000:1 (dynamic)		
Viewing angle (vertical/horizontal)	178° /178°		
Response time (typical)	7ms (grey to grey)		
Panel type	IPS (In Plane Switching), anti-glare		
Backlight	CCFL		
PC Connectivity			
Connectors (U3011)	VGA, 2xDVI-D (HDCP), Component, 2 x HDMI, USB 2.0 Port: 4		
Power			
AC input voltage/frequency/current	100 to 240 VAC / 50 or 60 Hz <u>+</u> 3 Hz / 2.5A (Max.)		
Power consumption (normal operation, typical)	110W 250W (without audio and USB connection)		
Power consumption (active-off mode)	<2W		
	and CIE1931 (72%) test standards. ite: For more details viist dell.co.in/tnc or see www. init dispatched, if needed, following completion of		

dell.co.in/monitors

Dimensions	
Height (compressed)	481.3 mm (18.95) and full height spread 90 mm
Width	694.5 mm (27.34)
Weight	
Weight without stand assembly	9.3 kg
Weight with stand assembly and cables	12.6 kg
Weight with packaging	15.3 kg
Design Features	
Stand	Height-Adjustable stand with tilt and swivel
Security	Slots for security cable lock and anti-theft stand lock (security cables and locks not included)
Bezel Color	Black
Sonico and warranty	

Service and warranty

- 3 Years Advanced Exchange Service³ & Limited Hardware Warranty²
- Premium Panel Guarantee 100% replacement of UltraSharp series monitors sold if any bright pixel is found, valid within the warranty period.

A	wards						
2	Editors' Choice Award U3011 CNET, Australia, 09/2010	PC	Features & Design 6/6 Overall Rating 5/6 U3011 PC Pro, UK, Oct '10	9	Highly Recommended Award U3011 APC Magazine, ANZ, Apr '11	Θ	Must Have Award U3011 Kitguru, UK, Feb '11
1	Best Product of July Award (Best monitor for graphics) U3011 Chip, Russia, July '11	1	Editors' Choice Award U3011 ZDNet, UK, Feb '11	5	Editors' Choice Award U3011 CNET, USA, 01/31/2011	inter car	Very Good Rating U3011 Foto Digital, Germany, June '11

om/warranty.

³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.



Monitors at a glance

The right monitor can make a huge difference in how you interact with your computer, whether you are an avid gamer or simply trying to improve your productivity. Chose from a wide variety of monitors at Dell with high-end features and options that will improve your experience and deliver the kind of performance you expect.



E Series





68.58cm (27) W



76.2cm (30) W

